STADNDARD FACE MASKS



Bestex masks provide basic protection for medical staff. They are suitable for general patient care and procedures where there is no risk of exposure to blood and/or body fluids. All the face masks are EN14683 Type II**R or ASTM F2100 Level 2** compliant.

1 OUTER PROTECTIVE LAYER

Coloured to distinguish from fluid resistant face masks and ensures the user wears the mask the correct way.

2 FILTER LAYER

Gives 0.1 micron particle filtration and 3 micron bacteria filtration efficiency at ≥ 99%

3 INNER COMFORT LAYER

Enables users to wear the masks comfortably for an extended period.

CE Single Use Latex Free

LEVEL 2 BARRIER

MEETS OREXCEEDS ASTM F2100 REQUIREMENTS:

BFE(%) :	≥98
PFE(%) :	≥98
ΔP (mmH_2O/cm^2) :	<6.0
Fluid Resistance :	120mmHg
Flame Spread :	Class 1


Made with a protective three-layer construction, SILK like surgical face mask are lightweight and designed to minimise irritation or disconfort for sensitive skin wearers.







KEY	CODE	DESCRIPTION	FIT	COLOUR	INNER	OUTER
A	FM-34EE	Procedure Face Mask	Earloops	Blue,white,Pink, Lavender,Green,Yellow	50	400
B	FM-34ET	Surgical Face Mask	Ties	Blue,white,Pink, Lavender,Green,Yellow	50	400
C	FM-34EEFL	Floral Face mask	Earloops	Blue, Pink, Lavender	50	400
D	FM-34EEF	Ant-Fog procedure Face Mask	Earloops	Blue,white	50	400
E	FM-34EEC1	Child Face Mask-14.5*9cm	Earloops	Blue, Pink	50	400
*	FM-34EEC2	Child Face Mask-12.5*9cm	Earloops	Blue, Pink	50	400
*	FMS-34EE	Procedure Face Mask with shield	Earloops	Blue,white	25	100









FLUID RESISTANT FACE MASKS

High performance fluid resistant face masks are fluid resistant to protect from blood borne pathogens. They are recommended for use where there is risk of fluid contamination during splash or spray prone procedures.

All fluid resistant face masks are EN14683 Type IIR compliant.



OUTER PROTECTIVE LAYER

Coloured or printed hydrophobic Spunbond fibric to ensures the user wears the mask the correct way.

SECOND PROTECTIVE LAYER

A breathable fluid resistant perforated film can prevent liquid transmission to the filter layer.

FILTER LAYER

Gives 0.1 micron particle filtration and 3 micron bacteria filtration efficiency at ≥99%.

INNER COMFORT LAYER


Enables users to wear the masks comfortably for an extended period. A soft layer that draws moisture from exhaled air and enhances user comfort.

CE Single Use Latex Free

LEVEL 3 BARRIER	MEETS OREXCEEDS ASTM F2100 REQUIREMENTS:	
	BFE(%) :	≥ 99
	PFE(%) :	≥ 99
	ΔP (mmH_2O/cm^2) :	<5.0
	Fluid Resistance :	160mm Hg
	Flame Spread :	Class 1



KEY	CODE	DESCRIPTION	FIT	COLOUR	INNER	OUTER
A	FM-44EEP	Procedure Face Mask	Earloops	Blue,white	50	400
B	FM-43ETWF	Surgical Ant-Fog Face Mask	Ties	Orange, blue, green	50	400
C	FM-43EEF	Procedure Anti-Fog Face mask	Earloops	B/W/P/L/Y/G	50	400
D	FM-44EEB-D	Procedure Face Mask with dual fit chin guard	Earloops	Black, B/W/Y/P/G/L	50	400
E	FMS-43ETWF	Surgical Anti-Fog Face mask with shield	Ties	Orange, blue, green	25	100










FLUID RESISTANT FACE MASKS

High performance fluid resistant face mask are fluid resistant to protect from blood borne pathogens.They are recommended for use where there is risk of fluid contamination during splash or spray prone procedures. All fluid resistant face masks are ASTM F2100 Level 3 compliant.



A **Extra-long,enclosed aluminum** nose piece forms a strong seal for maximum protection

B **Spunbond outer layer** material for maximum protection against fluids.

C **Facial tissue outer layer** is ultrasoft and odorless.

D **Vapor barrier** uniquely placed on outside layer to prevent fogging.

E **FogFree/No-Fog strip** blocks and absorbs moisture;forms a strong sealto prevent fogging;cushions nose ridge.

F **Secure Loop earloops** are soft,strong, fit comfortabley,and attached to outside of mask to eliminate irritation

G **Soft-Bond ultrasonics** ensures strongest construction,eliminating holes and defects.

H **Highest quality filter media** for best ASTM rating,filtration value and breath-ability

I **Cellulose inner layer for sensitive** skin(white,extra soft,hypoallergenic) will not lint,tear or shred;void of dyes, inks and chemicals,which can cause irritation

J **Tissue inner layer** is made of white, soft facial tissue.

K **Spunbond inner layer** made of white, fluid-resistant material.

L **Attached wrap-around face shield** is optically clear and distortion-free.

M **SecureFit aluminum strip** under chin significantly reduces gapping at the top, sides and bottom of the mask.

All Bestex face masks are latex free

MEDICAL FACE MASK TESTS AND REQUIREMENTS

U.S.A:ASTM F2100-11 STANDARD SPECIFICATION FOR PERFORMANCE OF MATERIALS USED IN MEDICAL FACE MASKS
EUROPE:EN14683:2014MEDICAL FACE MASK-REQUIREMENTS ANDTEST METHODS
AUSTRALIA:AS4381-2015 SINGLE-USE FACE MASKS FOR USE IN HEALTH CARE

Note:AS 4381 barrier and physical tests and requirements are identical to ASTM F2100-11 with the exception of PFE.AS 4381does not require PFE.		ASTM F2100-11			EN14683:2014 Barrier Levels		
		Level 1	Level 2	Level 3	Type I	Type II	Type IIR
Barrier Testing	BFE % ASTM F2101,EN 14683	≥95	≥98		≥95	≥98	
	PFE % ASTM F2299	≥95	≥98		Not required		
	Synthetic Blood ASTM F1862,ISO22609	Pass at 80mmHg	Pass at 120mmHg	Pass at 160mmHg	Not required		Pass at ≥ 16.0 kpa(>120mmHg)
Physical Testing	Differential Pressure MIL-M-36954C,EN14683	<5.0mmH₂O/cm²	<6.0mmH₂O/cm²		<29.4 Pa/cm²	<49.0 Pa/cm²	
Safety Testing	**Flammability 16 CFR Part 1610**	Class 1 (≥3.5 seconds)			See European Medical Directive (2007/47/EC,MDD 93/42/EEC)		
	Microbial Cleanliness ISO11737-1	Not required			≤30cfu/g		
	Biocompatibility ISO10993	510K Guidance recommends testing to ISO 10993			See European Medical Directive (2007/47/EC,MDD 93/42/EEC)		
Sampling ANSI/ASQC Z1.4 ISO2859-1		. AQL 4% for BFE,PFE,Delta P . 32 masks for Synthetic Blood (Pass=≥29 passing,Fail=≤28 passing) . 14 masks for Flammability			.Minimum of 5 masks up to an AQL of 4% for BFE Delta P and Microbial Cleanliness . 32 masks for Synthetic Blood (Pass=≥29 passing,Fail=≤28 passing)		

CE Single Use Latex Free

Email:sam@bestex-china.com Web:www.bestex-china.com

SURGICAL FACE MASK WITH SHIELD

High performance fluid resistant face masks are fluid resistant to protect from blood borne pathogens. They are recommended for use where there is risk of fluid contamination during splash or spray prone procedures.

All fluid resistant face masks are EN14683 Type IIR compliant.



OUTER PROTECTIVE LAYER

Coloured or printed hydrophobic Spunbond fibric to ensures the user wears the mask the correct way.

SECOND PROTECTIVE LAYER

A breathable fluid resistant perforated film can prevent liquid transmission to the filter layer.

FILTER LAYER

Gives 0.1 micron particle filtration and 3 micron bacteria filtration efficiency at ≥99%.

INNER COMFORT LAYER


Enables users to wear the masks comfortably for an extended period. A soft layer that draws moisture from exhaled air and enhances user comfort.

CE Single Use Latex Free

LEVEL 3 BARRIER

MEETS OREXCEEDS ASTM F2100 REQUIREMENTS:	
BFE(%) :	≥ 99
PFE(%) :	≥ 99
ΔP (mmH_20/cm^2) :	<5.0
Fluid Resistance :	160mm Hg
Flame Spread :	Class 1





Lightweight Plastic Visor

- Transparent and Waterproof
- Isolate saliva & protect face from spary, splatter, droplet, dust etc.
- Provides complete coverage of the face
- Easily bend to fit the wearer comfortably.

Aluminum Strips Nose-Piece

- Gentle & fit to any nose shape
- Easy to adjust & long-lasting set
- Hard to break
- Skin-friendly

Full Width Anti-Fog Foam Strip

- Avoid glasses-fogging due to breathing
- Comfort to nose
- High-Breathability
- Skin-Friendly

3D FOLDABLE MASKS

Particulate Respirator is a maintenance-free, flat fold disposable respirator that is intended for use by consumers used in consumer applications(and other users where permitted by applicable regulations) to help reduce exposure to certain airborne particulate matter. The respirator is worn over the mouth and nose and attaches via elastic side bands with hook attachment behind the base of the head/top of the neck. When used as instructed, this respirator can help reduce inhalation exposure to certain types of non-oily airborne particles,such as dirt, dust, sand, vehicle exhaust particles, pollen, nvironmental air pollution, PM2.5 (fine particles), PM10 and other airborne particulate matter.



OUTER PROTECTIVE LAYER

Coloured or printed hydrophobic Spunbond fabric to ensures the users wear the mask the correct way and block large particles.

FILTER LAYER

Two layer of filtration give 0.1micron particle filtration and 3 micron bacteria filtration efficiency at ≥99% and can absorb small particles.


FOURTH LAYER


Hot cotton fabric and absorb the moisture during breathing.

INNER COMFORT LAYER

Enables users to wear the masks comfortably fro an extended period. A soft layer that draws moisture from exhaled air and enhances users Comfort.

CE Single Use Latex Free





DISPOSABLE EYE SHIELD

• Eye Shields can be worn over prescription eyewear and facemasks. Wrap-around design provides front and side eye protection. Eye and face shields are single-use and disposable.

• It is 100% latex-free and fiberglass free. All materials are non-irritant, odorless. Available in ear-loop and tie-on types.

• The lens can be simply clipped to the side rails of the designed frames which may be purchased separately.

• Lightweight, foldable and re-usable frame.

• Smooth finished frame allows for a comfortable fit.

• Wraparound design frame can provide more secure.

• Quick and easy to don.

• Double anti-fog, anti-static, optically clear, no-glare lens .

• Conform to the standard EN166.

• Comply with the EU PPE Regulation 2016/425,and bear the appropriate CE mark.



CE Single Use Latex Free



KEY	CODE	DESCRIPTION	PACKING	SIZE OF CASE
A	EW-19575-F	Clip on disposable eyewear-Frame	10pcs/bag, 400pcs/case	39x33x27cm
B	EW-19575-L	Clip on disposable eyewear-Lens	25pcs/bag, 250pcs/case	34x24.5x17cm
C	EW-19575-Assembled	Clip on disposable eyewear	50pcs/bag, 400pcs/case	58x33x44cm
D	FS - 217166	Clip-on disposable face shield	1set/box, 24sets/case	36.5x18.5x24cm

DISPOSABLE FACE SHIELD

- Full face visors provide high level protection from body fluid or blood splashes or spray.
- A wide thick foam band across the forehead, and a wide latex free head band, ensures a comfortable and secure front seal for wearers.
- The optically correct anti-fog visor, gives wearers maximum and accurate visibility. In addition, prescription or protective eye wear can be worn underneath the visor.
- Fit: Elasticated or adjustable velcro Headband.
- All Bestex face shields are Latex, Cadmium and Nickel free.
- Store in a cool dry place out of direct sunlight.
- Conform to the standard EN166.
- Face shields are personal protective equipment devices that are used by workers for protection of the facial area and associated mucous membranes(eyes,nose,mouth)from splashes, sprays,body fluids.
- Comply with the EU PPE Regulation 2016/425,and bear the appropriate CE mark.



CE Single Use Latex Free










KEY	CODE	DESCRIPTION	PACKING	SIZE OF CASE
A	FS - 3224	FULL size disposable face shield	24pcs/box, 4boxes/case	55x31.3x35.5cm
B	FS - 3222	2/3 size disposable face shield	24pcs/box, 4boxes/case	55x31.3x35.5cm
C	FS - 3219	Half size disposable face shield	24pcs/box, 4boxes/case	55x31.3x35.5cm
D	FS - 28517	Clip-on disposable face shield	1set/box, 24boxes/case	36.5x18.5x24cm

Use Instruction:




1. Tear to open the plastic bag.




2. Tear off the protective film.



3. Put on the face shield. Place the foam against your forehead.



4. Adjust and secure the headband to fit comfortably around the head.



5. Discard the face shield after use.

DENTAL BIBS

The dental bibs are widely used for dental procedures. It helps in keeping the patients dry and providing protection against bacteria at the same time. Our dental bib has the following features.

- Highly absorbent
- Solid-liquid protection
- Does not rip or tear easily
- Reduces the risk of cross-contamination
- Soft, lightweight, and comfortable
- Water resistance

All our dental bibs are manufactured using polyurethane materials. You can purchase our dental bibs in 2ply or 3ply. These are also availablein different standard size from 13 to 18 inches. Additionally, our dental bibs are available in different colors such as pink, blue, white, and more. Colors and sizes are both customizable according to your requirement.

Aside from dental bib, we also manufacture dental aprons.




CE Single Use Latex Free










KEY	CODE	DESCRIPTION	PACKING	SIZE OF CASE
A	DB-3345	Dental bib 3ply	125pcs/bag, 4bag/case	34.5*24.5*23cm
B	DBT-3845	Dental bib with ties	125pcs/bag,4bags/case	45*32*20cm
C	DBP-4052	Dental bib with pocket	125pcs/bag,4bags/case	45*32*25cm
D	BH-4225	Dental bib holder	200pcs/box, 24boxes/case	62*34.3*22.4cm